

FLORESTAN



FLORESTAN

Verity Audio's latest addition to the eXR product line presents an exceptional expansion in frequency capabilities, extending well past 60 kHz in the upper range and delving down to 20 Hz in the lower range. This novel entrant, named Florestan, is a 3-way loudspeaker designed for wide bandwidth performance. It boasts an array of distinctive features including a two-inch pristine ribbon tweeter, a unique 6-inch midrange transducer exclusive to Verity Audio, a groundbreaking 11-inch woofer driver and a "pressure-balance system". This system highlights a mechanism through which the front and rear pressure are kept in equilibrium, contributing to improved acoustic performance.

The highlight of the Florestan is its Verity Audio Reference ribbon tweeter, a groundbreaking feature that offers a flawless blend of harmonics, revealing the subtle nuances in highly complex sound pieces. Paired with this tweeter are the midrange and woofer drivers, both excelling impressively. The midrange driver uses a unique mineral-infused polypropylene cone, and the woofer utilizes a sandwiched carbon paper cone, each tailored for supreme sound fidelity.

In terms of engineering, the Florestan capitalizes on Verity Audio's proprietary technology. It employs a unique rear-oriented bass reflex woofer and a semi-open-back upper cabinet that leads to a more pristine midrange replication and an immersive three-dimensional soundstage. The construction of the cabinet also follows Verity Audio's signature anti-resonance methodology. The cabinet is fortified through a meticulously arranged assortment of internal reinforcements and intricately angled panels, ensuring the efficient dissipation of internal energy. This approach results in both enduring reliability and precision in sound reproduction.

The Florestan is the culmination of extensive research and development endeavors, holding the belief that it is set to redefine the benchmarks for high-end loudspeakers. The Florestan, with its wide frequency bandwidth, outstanding driver components, anti-resonance cabinet construction and a pressure-balanced system, is poised to deliver an exceptional auditory encounter that will linger in the memory of listeners.

The cabinetry's exquisite beauty and distinctiveness are flawlessly embodied in a consistent finish of premium Italian lacquer, impeccably applied to all facets, seamlessly concealing any visible seams. Florestan is composed of two individual cabinets, discreetly separated by a substantial damped aluminum platform. This avant-garde loudspeaker incorporates the Verity Audio MASIS System ("Mechanical & Airborne Sound Isolation System"), a technology designed to impeccably insulate the speaker from the ground.

Florestan promises an expansive array of delicately nuanced intricacies that surpass even the most extravagant imaginings. Your favored melodies will cease to be solely about music, as they intertwine with indelible sentiments, etching memories that endure.

Verity Audio's designs stand as a fusion of scientific precision and artistic ingenuity. This legacy harmoniously breathes life into the alliance of wisdom and craftsmanship. Embark on the journey of discovering the Florestan, and partake in a singular, never-to-be-repeated encounter.



Monsalvat	Lohengrin IIS	Florestan	Arindal	Parsifal Anniversary	Otello	Lakmé
-----------	---------------	-----------	---------	----------------------	--------	-------



Florestan in Makore High-Gloss



Florestan in High-Gloss Black

FLORESTAN

SPECIFICATIONS

Bandwidth:	20 Hz to 60 kHz 3.0 dB
Woofer:	11.0-inch carbon paper sandwich cone 3-inch voice coil
Midrange:	6-inch doped polypropylene cone 2-inch underhung SD voice coil
Tweeter:	Verity Audio Pure Aluminum Ribbon
Input Power:	7 watts minimum (8 Ω)
Sensitivity :	93 dB @ 1w @ 1 m on axis
Impedance :	8 Ω nominal, 3.0 Ω minimal
Break in time:	75 hours (63%), 400 hours (99%)

DIMENSIONS & WEIGHT

Height:	51.3 in. (130.4 cm)
Width:	13.7 in. (34.9 cm)
Depth:	19.9 in. (50.5 cm)
Weight:	300 lbs (136 kg) / pair
Gross weight:	546 lbs (247 kg) / pair

FEATURES

Connectors:	Furutech
Isolation Base:	Verity MASIS system c/w adjustable feet
Isolation Platform :	1-1/4" (32 mm) Damped Aluminum
Jumper Cables :	14" (356 mm) high purity copper
Transportation Case :	ATA « Air Transportation Association » metal case

AVAILABLE FINISHES

Colours:	High-Gloss Black or White
Wood:	Makore High-Gloss or Hand-Oiled
Custom:	Ask Verity Audio



Note: Due to Verity Audio desire to continually improve its products, specifications are subject to change without notice.

www.verityaudio.com

Driven by a passion for excellence and focused on painstaking attention to detail, we are wholeheartedly committed to crafting sound systems capable of unveiling the timeless beauty of a true musical experience.

All Verity loudspeakers share a common trait, which is exceptional "Synergy." Our secret resides in the way we thoroughly integrate all ingredients to form a perfect balance.



You can contact Verity Monday through Friday from 9:00 A.M. to 5:00 P.M. Eastern Standard Time (EST), except on holidays.

Sales & General Information: info@verityaudio.com **Servicing:** support@verityaudio.com

Phone: 418-682-9940 Fax: 418-682-8644