



Colossal Sound, Compact by Design.

At VENETOR, we've spent years immersed in the world of audio. We've chased good sound across countless settings, and it's a pursuit with no real end — the deeper you go, the more it seems to lead to enormous speakers and dedicated listening rooms. But we wanted something else: to enjoy truly satisfying sound without needing that kind of environment. That desire is what gave rise to this passive speaker — the PS401.



This Sound. This Size

Built with 10mm machined aluminum panels, the PS401 achieves a tightly condensed, compact form. Our proprietary FIR correction filter technology fully tunes each individual unit, producing a power, spaciousness, and precision of resolution that its size gives no hint of.





Engineered for PURE Sound

At its core, the PS401 spares nothing — packed with cutting-edge components that audio engineers around the world would envy. Physical limitations, overcome through the sheer craft of engineering.

Purifi USHINDI 4-inch Woofer

Featuring Purifi Audio's proprietary "M-Surround" technology, which suppresses distortion at high excursion to an extreme degree — delivering resolution and energy that rival far larger woofers.




Symmetrical Dual Passive Radiators

A pair of genuine Purifi 4-inch passive radiators mounted in opposition. Their "force-canceling" structure eliminates coloration from cabinet resonance, producing pure, uncolored bass extension down to 40Hz.





High-End AMT Tweeter

An extremely thin, pleated diaphragm pushes air with precision, reproducing a dense, spacious high end all the way to 30kHz — with a seamless, gapless transition across the frequency range.



FIR Filtering Ready

Every unit undergoes individual anechoic-chamber measurement at the time of shipping, generating a **FIR correction filter** unique to that specific unit. Through advanced signal processing, the entire frequency range is aligned to minimum-phase characteristics, producing an image coherence as pure and unified as a single-driver design.





REF Technology

(Paid Option)

Compatible with REF Technology, our environmental correction filtering system. In addition to the FIR correction filter applied at shipping, we measure your actual listening environment and create a correction filter specific to that space — delivering clearer sound that more faithfully reproduces the intent and character of the original recording.

This service is provided on-site by our team traveling from Japan, and requires a service fee plus actual travel costs.



Your One and Only

Through a partnership with a world-class automotive-paint clean room, we offer custom color ordering. From the color of your car to a shade with personal meaning, you can specify everything from color to finish for a fully original order.

(Paid option: from \$1,080)




Dimensions

Width : 160mm

Height : 240mm

Depth : 250mm

Weight : 9kg each





Specification

Speaker Type

- 2-way passive stand monitor / bookshelf speaker
- Dedicated Stand Available

Drivers

- 1 × Purifi 4-inch USHINDI Woofer
- 2 × Symmetrical Dual Passive Radiator
- 1 × High-end AMT Tweeter

Frequency Response

- 40Hz – 30kHz

Distortion

- 200Hz – 20kHz : 0.3%
- 100Hz – 20kHz : 1.0%

Sensitivity

- 84dB

Material

- Panel : 10mm machined aluminum
- Inside : Real Schild, Calmflex FR-2

Purchase Inquiry



VENETOR Sound Co., Ltd.
14-18-1, Momohama, Kanagawa, Japan
support@venetor.jp

